

PATENT

Certificate of Electronic Transmission

I hereby certify that this correspondence is being electronically transmitted to the United States Patent and Trademark Office on

July 19, 2006

Date

/David W. Dorton/

David W. Dorton, Registration No. 51,625

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,048,137
Issue Date: May 23, 2006
Application No: 10/632,288
Filed: August 1, 2003
Art Unit: 3754
Examiner: Lien M. Ngo
Title: DRINKING CONTAINER WITH MULTILAYER LEAK-PROOF CLOSURE
Applicant: Leoncavallo et al.
Atty. Docket: NAC-123US
Confirmation No: 5074

Cincinnati, Ohio 45202

July 19, 2006

Certificates of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR APPLICANTS' MISTAKES**

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains errors of a clerical, typographical nature.

This request is made under 17 C.F.R. §1.322 and §1.323 to correct various mistakes. The patent shows that Applicants' mistakes were made in good faith.

The exact page and line number where the errors occur in the application file are:

Column 4, line 6, reads "...permit uses to drink comfortably from..." and should read -- ...permit users to drink comfortably from... -- .

Column 5, line 10, reads "...the closure 4." and should read -- ...the closure 40. -- .

Column 6, line 41, claim 4, reads "The closure of claims 1, wherein..." and should read -- The closure of claim 1, wherein... -- .

Column 6, line 48, claim 6, reads "...screw threads disposed on side sidewall." and should read -- ...screw threads disposed on said sidewall. -- .

In accordance with the established procedure for handling such certificates, a Form PTO-1050 (Rev. 2-93) is enclosed herewith listing the errors.

Applicants are of the opinion that a fee of \$100 is due as a result of this communication. However, if any additional fees are necessary to complete this communication, the Commissioner may consider this to be a request for such and charge any necessary fees to Deposit Account No. 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By: /David W. Dorton/
David W. Dorton, Reg. No. 51,625

2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202
(513) 241-2324 (voice)
(513) 241-6234 (facsimile)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,048,137

APPLICATION NO.: 10/632,288

ISSUE DATE : June 27, 2006

INVENTOR(S) : Leoncavallo et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4

Line 6, reads "...permit uses to drink comfortably from..." and should read -- ...permit users to drink comfortably from... -- .

Column 5

Line 10, reads ""...the closure 4." and should read -- ...the closure 40. -- .

Column 6

Line 41, reads "The closure of claims 1, wherein..." and should read -- The closure of claim 1, wherein... -- .

Line 48, reads "...screw threads disposed on side sidewall." and should read -- ...screw threads disposed on said sidewall. -- .

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Wood, Herron & Evans, L.L.P.
2700 Carew Tower, 441 Vine Street
Cincinnati, OH 45202-2917

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.